



AnySite® UK

Version 8.8.1

INSTALL GUIDE

Information in this document is subject to change without notice and does not represent a commitment on the part of the vendor or its representatives. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, without the written permission of Pitney Bowes Software Inc., One Global View, Troy, New York 12180-8399.

©2008-2010 Pitney Bowes Software Inc. All rights reserved. MapInfo, Group 1 Software, and AnySite are trademarks of Pitney Bowes Software Inc. All other marks and trademarks are property of their respective holders.

United States:

Phone: 518.285.6000

Fax: 518.285.6070

Sales: 800.327.8627

Government Sales: 800.619.2333

Technical Support: 518.285.7283

Technical Support Fax: 518.285.6080

pbinsight.com

Europe/United Kingdom:

Phone: +44.1753.848.200

Fax: +44.1753.621.140

Technical Support: +44.1753.848.229

pbinsight.co.uk

Contact information for all Pitney Bowes Software Inc. offices is located at: <http://www.pbinsight.com/about/contact-us>.

February 2010

Table of Contents

Chapter 1: Introduction	5
Product Inventory	6
About this Guide	6
Conventions	6
Chapter 2: Before You Begin	9
Permissions	10
System Requirements	10
Default Install Path	10
Time/Space Considerations	10
Installation Scenarios	11
Chapter 3: Installing	13
Evaluation Version Users	14
Installing to a Local Machine (Single User)	14
Complete Installation	18
Custom Installation	20
Installing to a Network (Shared by Multiple Users)	22
Complete Network Installation	26
Custom Network Installation	28
Installing the .NET Framework	32
Installing your Data License File	34
Installing the AnySite UK Client	35
Launching and AnySite Client Setup Wizard	36
Final System Configuration	38
Launching the Configurator	39
Importing Repository Transfer (ART) Files for your Data	40
Cataloging System Data if Stored to a Non-Default Location	41
Chapter 4: Starting AnySite UK	43
Logging into and Launching AnySite UK	44
Handling Data Not Found Messages	44
Default Locations for Data	45

- Chapter 5: Upgrading Your Current Installation47**
 - Upgrading AnySite UK48**
 - Updating Reports and Thematics49**
 - Updating Standard Reports and Thematics.49
 - Updating your Custom Reports and Thematics50
 - Upgrading the AnySite UK Client52**
- Chapter 6: Uninstalling53**
 - Uninstalling the AnySite UK Application54**
 - Uninstalling the AnySite UK Client54**
- Chapter A: Performance Tuning a Network Installation55**
 - Network Speed56**
 - Virus Scanner Software Settings.56**

Introduction

Welcome to AnySite. System Administrators installing AnySite UK need to read this entire document for a successful AnySite UK installation.

AnySite UK helps you to analyze the relationship between store performance and market trade area demographic characteristics. AnySite UK lets you integrate the specific data you need from various sources, so that you can connect, retrieve, report on, and map any information from your proprietary database to analyze trade area data.

Access to data is controlled using account permissions set through the AnySite UK Configurator tool, which is installed with AnySite UK. This allows an AnySite UK Administrator to restrict access to sensitive data.

For information on setting AnySite UK system preferences and defaults through AnySite UK's Configurator tool, refer to the *AnySite UK Reference* after installing AnySite UK.

In this chapter:

- ◆ **Product Inventory**6
- ◆ **About this Guide**6

Product Inventory

Your copy of AnySite UK installs the following to your system:

- AnySite UK – Server and client software.
- Data Manager tool – For importing and exporting data from the AnySite Data Engine.
- Configurator tool – For managing AnySite UK system settings.
- Data – Data purchased with AnySite UK for market and site analysis.
- Tutorial data – Sample data provided to follow along with the AnySite UK tutorial.
- Install Guide – This document, which provides installation and system configuration instructions.
- Reference Guide – Provides a reference for working with AnySite UK, and the Data Manager and Configurator tools.


About this Guide

This guide is organized as follows:


- **Chapter 2: Before You Begin** – Requirements and system setup needed.
- **Chapter 3: Installing** – Instructions for installing the AnySite UK Application.
- **Chapter 4: Starting AnySite UK** – Instructions on how to log in to and launch AnySite UK.
- **Chapter 5: Upgrading Your Current Installation** – Instructions on how to upgrade your existing AnySite UK installation to this new release.
- **Chapter 6: Uninstalling** – Instructions on how to remove AnySite UK from your system.

Conventions

This guide may provide full paths to menu commands. For example, **File > Print** is the same as “on the **File** menu, click **Print**”.



When referring to Configurator preferences the convention of **Preferences > Layers > Linked** is the same as “in the **Preferences** pane, click **Layers**, and then click **Linked**”.



Before You Begin

When installing AnySite UK, it is important to decide your installation location, and deployment environment.

Note If you install AnySite UK incorrectly, you may need to remove the application from your computer and re-install it to fix any problems.

In this chapter:

- ◆ **Permissions**10
- ◆ **System Requirements**10
- ◆ **Default Install Path**10
- ◆ **Time/Space Considerations**10
- ◆ **Installation Scenarios**11

Permissions

Administrative rights to the program files directory are required for installation.

Once installed, users need read/write/modify rights to the AnySite.ini and AnySite.mdb files, which are located within the AnySite UK application directory. Give users read/write/modify rights to the entire AnySite UK application directory.

System Requirements

Operating System:	<ul style="list-style-type: none">• Windows XP Service Pack 2 or higher• Windows 2000 with Service Pack 4 or higher• Windows Server 2003 (Standard or Enterprise) Service Pack 1
Hardware:	<ul style="list-style-type: none">• Pentium IV Processor 1.x GHz or better, with 512MB of RAM (1GB or better recommended)• 15-inch monitor, with graphic accelerator card, 16 bit color or greater. Minimum of 800x600 resolution is required.
Hard Disk Space:	Dependent on the data purchased. Up to 3 GB.
Software:	Microsoft Word 2002, 2003, or later (recommended for viewing reports)

Default Install Path

The default install path is C:\Program Files\MapInfo\AnySite_XX\Data, where XX is a two-digit country code.

Time/Space Considerations

The AnySite UK install wizard installs both the AnySite UK application and data (streets, demographics, and geocoder for example). The length of time for the install will range from 1-4 hours depending on the speed of your media drive and file transfer across a network. The installation of AnySite UK cannot be stopped and restarted at a later date. Schedule enough time prior to beginning the install process.

The following chart provides an estimation of size needed when installing AnySite UK and its corresponding data. The footprint will change depending upon the geography purchased.

Name	Approximate Disk Space Needed
AnySite UK Program	500 MB
Data	2.5 GB

You have the option to install the data to a location separate from the AnySite UK application. The most common scenario is to install the application and data to the same machine.

Installation Scenarios

During the install you have the option to perform a Single or a Shared setup type. A Single setup type is for a local installation, where a single user installs AnySite UK and the AnySite UK Client to a local machine. A Shared setup type is for a network installation where multiple users on a network will access AnySite UK.

For questions regarding installation scenarios please contact AnySite UK technical support via email at support-europe@mapinfo.com or 0845 189 8044.

Local Installation (Single User)

A local installation installs, and runs, AnySite UK on a single machine. Choose a local installation if only a single user is going to access AnySite UK.

Network Installation (Shared by Multiple Users)

A network installation installs AnySite UK (executable and all associated files) onto a network of machines. Choose a network installation if multiple users are going to access AnySite UK. Install AnySite UK from the console of the server where AnySite UK will reside, and install the AnySite UK Client onto each user's local machine where they will run AnySite UK from.

If you are installing to the network from a local machine, you must have a mapped drive to your network location. The mapped drive is only required for the installation process. UNC (Universal Naming Convention) paths may be used to run the application from a network. Refer to **Final System Configuration in Chapter 3 on page 38**.

Installing

To successfully install AnySite UK, read this entire chapter before beginning. Refer to **Before You Begin in Chapter 2 on page 9** for pre-installation requirements and planning.

During the installation procedure, you must make some decisions about your installation. Please read these instructions before installing, so that your installation runs smoothly.

Follow the directions for the **Final System Configuration on page 38** after completing the main installation. These steps are required for every installation and will ensure that your AnySite UK installation is successful.

In this chapter:

- ◆ **Evaluation Version Users**14
- ◆ **Installing to a Local Machine (Single User)**14
- ◆ **Installing to a Network (Shared by Multiple Users)**.....22
- ◆ **Installing the .NET Framework**32
- ◆ **Installing your Data License File**34
- ◆ **Installing the AnySite UK Client**35
- ◆ **Final System Configuration**.....38

Evaluation Version Users

If you currently have an evaluation version of AnySite UK installed on your machine, you must uninstall the evaluation version prior to installing the full version.

Installing to a Local Machine (Single User)

To Install AnySite UK onto a local machine:

1. Place the AnySite UK Installation DVD in the DVD drive.


If the installation does not automatically start, click **Run** from the Microsoft Start menu, and click the **Browse** button. Go to the DVD drive and select **Launch.exe**.

Select **Install**, and then select **Install AnySite**.



- The Welcome screen displays.


Click **Next** to continue.



- The License Agreement screen displays.

Carefully read the License Agreement. Select **I accept the terms in the license agreement** to accept the terms of the agreement.

Click **Next** to continue the installation process.




- The Customer Information screen displays.

Enter your name, organization name, and serial number (all three fields are required).

Installing to a Local Machine (Single User)

The Serial Number is located on the outside of the AnySite UK box. This number is required for the installation to continue. If you are unable to locate your serial number, contact your sales representative for assistance.


Click **Next** to continue.



5. The Data Unlocking screen displays.

Enter your Unlocking Code. The unlocking code is included in the *Unlock Code and Serial Number* document included in the software box. The serial number and unlock code are connected to each other, if you receive a message stating your unlock code is invalid, recheck your serial number to see if it was keyed in properly.


Click **Next** to continue.



6. The Setup Type screen displays.

Select Complete or Custom, and then Click **Next** to continue.

- Complete installs AnySite UK and all of its components.
- Custom lets you select which program features and data to install, and lets you install them to different locations either on your hard drive or on a network drive.



If you chose Complete, refer to [Complete Installation](#) for further instructions. If you chose Custom, refer to [Custom Installation on page 20](#) for further instructions.

Complete Installation


To continue with a Complete installation:

1. The Destination Folder screen displays after clicking **Complete** in the Setup screen.

Choose *This installation is for a single user* to install AnySite UK and the AnySite UK Client to a local machine.

If you would like to change the default installation location, click **Change** to browse to a different location.


Click **Next** to continue.



- The Ready to Install the Program screen displays.

If you chose to deselect desktop icons, then you can launch these features from the Microsoft Start menu by clicking Programs > MapInfo > AnySite.


Click **Install** to begin the Installation process.



Note If the .NET Framework License Agreement screen displays, then you do not have a compatible version of Microsoft .NET Framework installed. To complete your installation, proceed to [Installing the .NET Framework on page 32](#).

- The Installation Complete screen displays.

Click **Finish** to close the AnySite UK Installation wizard.



- Complete the installation by rebooting the system.

After rebooting, continue to [Installing your Data License File on page 34](#).

Custom Installation

This section continues from **step 6** in **Installing to a Local Machine (Single User)** after choosing Custom in the Setup screen. The options for a Custom Setup include application files and data.

You will have the option to select to install AnySite UK features, such as data, to your local hard drive or to a network drive. If installing to a network drive, then map the drive first. You may also choose not to install a feature.

Note Installing features to a network drive is **not** the same as installing AnySite UK on a network to be shared by multiple users.

For optimal performance on a local machine, install everything to the local machine.


To continue with a Custom installation:

1. The Destination Folder screen displays after clicking **Custom** in the Setup screen.

Choose **This installation is for a single user** to install AnySite UK and the AnySite UK Client to the local machine.

If you would like to change the default installation location, click **Change** to browse to a different location.

Click **Next** to continue.




2. The Custom Setup screen displays.

By default, the wizard installs all features. To deselect a feature, click the feature icon and select **This feature will not be available**. Only selected features install.

Features install to your local hard drive in the folder indicated. To specify a different folder, click **Change**.


Click **Next** to continue.



3. The Ready to Install the Program screen displays.

If you chose to deselect desktop icons, then you can launch these features from the Microsoft Start menu by clicking Programs > MapInfo > AnySite.


Click **Install** to begin the Installation process.



Note If the .NET Framework License Agreement screen displays, then you do not have a compatible version of Microsoft .NET Framework installed. To complete your installation, proceed to [Installing the .NET Framework on page 32](#).

4. The Installation Complete screen displays.

Click **Finish** to close the AnySite UK Installation wizard.



5. Complete the installation by rebooting the system.

After rebooting, continue to [Installing your Data License File on page 34](#).

Installing to a Network (Shared by Multiple Users)

In a shared setup, you install AnySite UK to a single machine in a network of connected machines. You then install the AnySite UK Client on to those machines in the network that access AnySite UK.

This section describes how to install AnySite UK. After completing the instructions in this section, you will install the AnySite UK Client on to **all** machines that will access AnySite UK.

Note There is an option to install the AnySite UK Client as part of this main installation if the machine used to install to the network location will also be used to run AnySite UK.

You must have a mapped drive to your network location and full write permission to the drive to install the AnySite UK Client. The mapped drive is only required for the installation process.

To Install AnySite UK on a network:

1. Place the AnySite UK Installation DVD in the DVD drive.


If the installation does not automatically start, click **Run** from the Microsoft Start menu, and click the **Browse** button. Go to the DVD drive and select **Launch.exe**.

Select **Install**, and then select **Install AnySite**.



2. The Welcome screen displays.


Click **Next** to continue.



3. The License Agreement screen displays.

Carefully read the License Agreement. Select "I accept the terms in the license agreement" to accept the terms of the agreement.

Click **Next** to continue the installation process.




4. The Customer Information screen displays.

Enter your name, organization name, and serial number (all three fields are required).

The Serial Number is located on the outside of the AnySite UK box. This number is required for the installation to continue. If you are unable to locate your serial number, contact your sales representative for assistance.


Click **Next** to continue.



5. The Data Unlocking screen displays.

Enter your Unlocking Code. The unlocking code is included in the "Unlock Code and Serial Number" document included in the software box. The serial number and unlock code are connected to each other, if you receive a message stating your unlock code is invalid, recheck your serial number to see if it was keyed in properly.


Click **Next** to continue.



6. The Setup Type screen displays.

Select Complete or Custom, and then click **Next** to continue.

- Complete installs AnySite UK and all of its components.
- Custom lets you select which program features and data to install, and lets you install them to different locations either on your hard drive or on a network drive.



If you chose Complete, refer to [Complete Network Installation on page 26](#) for further instructions. If you chose Customer, refer to [Custom Network Installation on page 28](#) for further instructions.

Complete Network Installation


This section continues from **step 6** in **Installing to a Network (Shared by Multiple Users)**, after choosing Complete in the Setup screen.

To continue with a complete installation:

1. The Destination Folder screen displays.

Choose **This installation will be shared by others on a network** and do one of the following:

- Accept the default destination folder by clicking **Next** to install on this local machine.
- Change the destination folder by clicking **Change** to install to a machine on the network by selecting a mapped drive (you will require full write permission to the location). The Change Current Destination Folder screen displays to select a location on the network.




2. The Choose Installation Options screen displays.

Deselect the AnySite UK Client option if you do not want to install it on this machine.

Deselect the desktop icon options if you do not want to install them. You can launch these features from the Microsoft Start menu by clicking Programs > MapInfo > AnySite.


Click **Next** to continue.



Note If installing to Windows Server 2003, then the AnySite UK Client separately as described in [Installing the AnySite UK Client on page 35](#).

3. The Ready to Install the Program screen displays.


Click **Install** to begin the Installation process.



Note If the .NET Framework License Agreement screen displays, then you do not have a compatible version of Microsoft .NET Framework installed. To complete your installation, proceed to [Installing the .NET Framework on page 32](#).

4. The Installation Complete screen displays.

Click **Finish** to close the AnySite UK Installation wizard.



5. Complete the installation by rebooting the system.

You must reboot the system and then continue to [Installing your Data License File on page 34](#).

Custom Network Installation

This section continues from [step 6 in Installing to a Network \(Shared by Multiple Users\)](#), after choosing Custom in the Setup screen. The options for a Custom Setup include application files and data packages.

When you select a feature in [step 3](#) of the following procedure, a menu displays allowing you to choose to install the feature and its sub-features to your local hard drive or a network drive. If installing to a network drive, then map the drive for the installation.

Note Installing components to a network drive is **not** the same as installing AnySite UK on a network to be shared by multiple users.


For optimal performance of AnySite UK on a local machine, install the entire application.

To continue with a Custom installation:

1. The Destination Folder screen displays.

Choose **This installation will be shared by others on a network** and do one of the following:

- Accept the default destination folder by clicking **Next** to install on this local machine.
- Change the destination folder by clicking **Change** to install to a machine on the network by selecting a mapped drive (you will require full write permission to the location). The Change Current Destination Folder screen displays to select a location on the network.




2. The Choose Installation Options screen displays.

Deselect the AnySite UK Client option if you do not want to install it on this machine.

Deselect the desktop icon options if you do not want to install them. You can launch these features from the Microsoft Start menu by clicking Programs > MapInfo > AnySite.

Click **Next** to continue.



Note If installing to Windows Server 2003, then the AnySite UK Client separately as described in [Installing the AnySite UK Client on page 35](#).


Installing to a Network (Shared by Multiple Users)

3. The Custom Setup screen displays.

By default, the wizard installs all features. To deselect a feature, click the feature icon and select **This feature will not be available**. Only selected features install.


Features install on your local hard drive in the folder indicated. To specify a different folder, click **Change**.

Click **Next** after the custom features have been selected.



4. The Ready to Install the Program screen displays.


Click **Install** to begin the Installation process.



Note If the .NET Framework License Agreement screen displays, then you do not have a compatible version of Microsoft .NET Framework installed. To complete your installation, proceed to [Installing the .NET Framework on page 32](#).

5. The Installation Complete screen displays.

Click **Finish** to close the AnySite UK Installation wizard.



6. Complete the installation by rebooting the system.


You must reboot the system and then continue to [Installing your Data License File on page 34](#).

Installing the .NET Framework

This part of the installation occurs when you do not already have a compatible version of Microsoft .NET framework installed on your machine. Microsoft .NET Framework version 2.0 is required to run AnySite UK. (For information about the Microsoft.NET framework, see www.microsoft.com/net.)

1. The Welcome to Microsoft .NET Framework 2.0 Setup dialog displays.


Click **Next** to continue.




2. The License Agreement screen displays.

Carefully read the License Agreement. Select "I accept" to agree to the terms.

Click **Install** to continue the installation process.




The Installing .net screen displays with a progress bar indicating the status of the installation process.



Installing your Data License File

3. The Installation Complete screen displays.
Click **Finish** to complete the .NET installation.



You must reboot the system and then continue to [Installing your Data License File on page 34](#).

Installing your Data License File

A unique license ships with your copy of AnySite to give you access to the data you purchased. This license is on a license CD that is included with your AnySite UK media.


To Install the data license file:

1. Place the License CD in the DVD drive.

If the installation does not automatically start, click **Run** from the Microsoft Start menu, and click the **Browse** button. Go to the DVD drive and select **INSTALL.EXE**.

2. In the License Installer screen displays.

Click **Install** to copy the license file to the AnySite UK installation location (C:\Program Files\mapinfo\AnySite_UK\Data\ASDE for example).



3. A Notice dialog displays.

Click **OK** when prompted that the installation is complete.

If you selected a single user setup installation, continue to **Final System Configuration on page 38**.

If you select a multiple user setup installation or you installed to the Windows 2003 operating system, continue to **Installing the AnySite UK Client** instructions.

Installing the AnySite UK Client

The AnySite UK Client allows a user to access the AnySite UK application.

Single User Installations:

If you selected a Single setup type installation on Windows XP, then you do not have to install the AnySite Client. The Client installs by default for you. Skip to **Final System Configuration on page 38**.

If you installed on Windows 2003 server then you must install the Client. Follow the instructions in the next section **Launching and AnySite Client Setup Wizard on page 36**.

Multiple User Installations:

If you selected a Shared (network) setup type, so that multiple users can access AnySite UK, then install the AnySite UK Client on to each machine that will access AnySite UK.

The AnySite Client Installer is a ClientSetup.exe file located under the AnySite installation folder (C:\Program Files\MapInfo\AnySite_UK by default). Map the drive to the AnySite installation folder where the user will be running AnySite from, and then run the ClientSetup.exe file from the client machine (as described in the next section **Launching and AnySite Client Setup Wizard**).


Map a drive on each client machine using the same map drive letter. After running the Client installation on each client machine, run the final system setup as described under **Final System Configuration on page 38**.

The mapped drive is only required for the installation process. Use UNC to run the application from a network.

Launching and AnySite Client Setup Wizard

To launch the Client Setup wizard to install AnySite UK Client:


1. Locate the ClientSetup.exe file in the folder where AnySite UK is installed. By default, AnySite UK installs to C:\Program Files\MapInfo\AnySite_UK. Double-click on the **ClientSetup.exe** file to launch the Client Setup wizard.



If the Welcome to Microsoft .NET Framework 2.0 Setup screen displays, follow the instructions under [Installing the .NET Framework on page 32](#) and then continue with the next step.

- The Welcome screen displays.


Click **Next** to continue.



- The Ready to Install the Program screen displays.

Select which desktop Shortcuts to create. (The AnySite UK Configurator requires AnySite UK administrative permissions to access.)


Click **Install** to begin the Installation process.



Final System Configuration

4. The InstallShield Wizard Completed screen displays once the AnySite UK Client has been installed.

Click **Finish** to complete the Installation.



Proceed to **Final System Configuration**.

Final System Configuration

Before launching AnySite UK for the first time, you must complete the steps in the following sections:

- **Launching the Configurator**
- **Importing Repository Transfer (ART) Files for your Data**
- **Cataloging System Data if Stored to a Non-Default Location**

These settings are made in the Configurator, which is a utility for managing your AnySite UK installation.


If you installed AnySite UK to a network location, so that the AnySite UK Client is on a different machine, then perform the steps in each of these sections for each client machine.

Launching the Configurator

To launch the AnySite UK Configurator and complete the setup of your installation:


1. Either click the AnySite UK Configurator icon on your desktop or click **Programs > MapInfo > AnySite UK > AnySite Configurator** in the Microsoft **Start** menu.
2. The Login dialog opens.

Enter the default user name and password when prompted: type *Administrator* for the username and leave the password blank. Click **OK** to proceed. Usernames are case sensitive, so make sure Administrator has a capital "A".



The Cataloger, a utility accessible from the Configurator, will scan several settings for AnySite UK; you may receive a message that the Cataloger will adjust these settings. If at a later time you receive this message, then rerun the Cataloger as described under **Cataloging System Data if Stored to a Non-Default Location on page 41**

3. The AnySite UK Configurator opens.



Proceed to **Importing Repository Transfer (ART) Files for your Data**.

Importing Repository Transfer (ART) Files for your Data

After installing your license file, you must import repository transfer (ART) files, which contain reports, thematics, and other settings. Reports are data dependent. If you run a report and you have not purchased the accompanying data for the report, then a "data not licensed" message displays.

Determine Which ART Files to Import

Use the following table to determine which ART files to import relative to the data you purchased and are licensed for. You must import the corresponding ART files using the Configurator.

MapInfo UK	
Bundle	ART
Basic Bundle	MapInfo UK 2007 Basic Bundle.art
ATOMICube	MapInfo UK 2007 ATOMICube Reports.art
Business Turnover	MapInfo UK 2007 Business Turnover Reports.art
Expenditure Estimate	MapInfo UK 2007 Expenditure Estimate Reports.art
Expenditure Goods Estimate	MapInfo UK 2007 Expenditure Goods Estimate Reports.art
Population Projection	MapInfo UK 2007 Population Projection Reports.art
Public Sector	MapInfo UK 2007 Public Sector Bundle.art
Thematics	MapInfo UK 2007 Thematics.art

Note Contact your sales representative with questions about which data bundles you have a license for.

Import ART Files Using the Configurator

To import the ART files for your data in the Configurator:

1. Click **Tools > Importing Preferences** in the AnySite UK Configurator menu.
2. In the Import Preferences dialog:
 - a. From the **Look in** list, select the **ART Files** folder in your AnySite UK installation director. The default location is C:\Program Files\MapInfo\AnySite_UK\Art Files.
 - b. From the list of ART files, select the ART file to import (according to the data bundle that you purchased, as identified in the preceding table).
 - c. Click **Open**
3. In the Select Preferences to Import dialog, select all of the preferences in the list and then click **OK**.

- Repeat these steps for each ART file to import (if you have licensed data outside the base demographic offering).

You have completed the system configuration and are now ready to launch AnySite UK, proceed to [Chapter 4: Starting AnySite UK](#).

If you installed the data supplied with AnySite to a non-default location, then proceed to [Cataloging System Data if Stored to a Non-Default Location](#) before launching AnySite UK.

Cataloging System Data if Stored to a Non-Default Location

If the data supplied with AnySite was installed to a non-default location, then configure AnySite UK to the location of the data files using the AnySite UK Configurator as described in this section.

Shared (network) installations must install the AnySite UK Client before continuing. If you have not already done so, see [Installing the AnySite UK Client on page 35](#).


To catalog the data stored in a non-default location, in the Configurator:

- Click **Tools > Cataloger** in the AnySite UK Configurator menu.
- In the Disk Drives to Catalog dialog, check all the drives that contain AnySite UK and any additional data for use with AnySite.


If you installed StreetPro, then select its data directories for cataloging. The default StreetPro location is C:\Program Files\MapInfo\Professional X.X\SPXXXX.

If you installed AnySite UK to a network location, so that the AnySite UK Client is on a different machine, then select the AnySite UK installation directory (which will be a mapped drive). If you could not use the same drive letter when mapping drives on the client machines, then you must also select the **Use UNC Paths** check box.

Ensure that the **Update Layer Paths** check box is selected to fix any invalid paths, and then click **OK**.



- Note** The Update Layer Paths check box updates paths to tables that may be invalid. The Use UNC Paths check box records the Universal Naming Convention (UNC) location to the data. UNC codes are used in network deployments where consistent network drive mappings for each user are not guaranteed. The Cataloger still requires the drives be mapped on the machine running the cataloger.
3. In the Drive Directories dialog, check all the drives that contain AnySite UK data, and then click **OK**.



You have completed the system configuration and are now ready to launch AnySite UK, proceed to **Chapter 4: Starting AnySite UK**.

Note You must reboot the system before running AnySite UK for the first time.

Run the Cataloger after purchasing additional data sources or when moving data sources, so that AnySite UK recognizes the data.

Starting AnySite UK

This chapter describes how to launch AnySite UK.

In this chapter:

- ◆ Logging into and Launching AnySite UK44
- ◆ Handling Data Not Found Messages44
- ◆ Default Locations for Data.....45

Logging into and Launching AnySite UK


If you have not yet run the final system configurations using the Configurator, then you must do so first, see [Final System Configuration in Chapter 3 on page 38](#).

Note You must reboot the system before running AnySite UK for the first time.

To start AnySite UK:

1. Either click the AnySite UK icon on your desktop or click **Programs > MapInfo > AnySite UK** in the Microsoft **Start** menu.
2. The Login dialog opens.

Enter the default user name and password when prompted: type *Administrator* for the username and leave the password blank. Click **OK** to proceed. Usernames are case sensitive, so make sure Administrator has a capital "A".



Note If you receive a data not found message, then proceed to [Handling Data Not Found Messages](#).


AnySite UK opens. Refer to the Tutorial section in the *AnySite UK Reference* for an overview of how to work with AnySite UK.

Handling Data Not Found Messages

The first time you launch AnySite UK, you may be prompted to locate data files if they are installed to a non-default location.


Drive Time Data Not Found

When launching AnySite UK the first time, you may get a Drive Time Data Not Found message regarding the location of the Drive Time Data. Use the Browse button in the message dialog to navigate to the proper directory (C:\Program Files\MapInfo\AnySite_UK\Data\AGS\Freeway for example) and then click **OK** to close the dialog.



MapMarker Data Not Found

When launching AnySite UK the first time, you may get a MapMarker Data Not Found message regarding the location of the MapMarker address data. This means that AnySite UK does not have the correct path to your geocoder data. Use the Browse button in the dialog to navigate to the proper directories, and then click **OK**.



Default Locations for Data

The following are default locations for data products:

- OEM Marker component of AnySite UK:
C:\Program Files\MapInfo\AnySite_UK\Data\MapMarker\Data

Upgrading Your Current Installation

Depending on your data provider, your demographic content may be updated one to four times a year. For each demographic update, updated templates for all "Standard" reports, Thematics, Hotspots, and Capture Methods are provided. Each upgrade of AnySite UK may also include software updates, for example version 8.7 is an upgrade from version 8.6.

In this chapter:

- ◆ **Upgrading AnySite UK**48
- ◆ **Updating Reports and Thematics**49
- ◆ **Upgrading the AnySite UK Client**52

Upgrading AnySite UK

To upgrade from the previous release:

1. Place the AnySite UK Installation DVD in the DVD drive.

If the installation does not automatically start, click **Run** from the Microsoft **Start** menu, and click the **Browse** button. Go to the DVD drive and select Launch.exe.


Select **Install**, then select **Install AnySite**.



2. The InstallShield Installer Update Completed screen displays.
Click **Continue**.
3. A prompt to upgrade your AnySite application and data displays.
Click **Yes**.

- The Welcome screen displays.

Click **Next** to continue.



Follow the installation directions that match your current deployment (local or network). When prompted, check the installation path to make sure you are upgrading the desired AnySite UK installation.

After completing the install and final system configuration, continue with the directions under [Updating Reports and Thematics on page 49](#) to update your custom reports and thematics.

Updating Reports and Thematics

If you are upgrading demographic data, then the existing standard reports (Summary, Detail, Comparative, and Quick View), thematics (Shades, Hotspots and Dot Densities), and Capture Methods in your AnySite UK now need to be updated. Changes made by your demographic data provider may prevent the existing data from functioning properly within AnySite UK.

Updating Standard Reports and Thematics

To change the vintage on standard reports:

- Launch the AnySite UK Configurator. Either click the AnySite UK Configurator icon on your desktop or click **Programs > MapInfo > AnySite UK > AnySite Configurator** from the Microsoft Start menu.

Enter the default user name and password when prompted: type *Administrator* for the username and leave the password blank. Usernames are case sensitive, so make sure Administrator has a capital "A".

Click **OK** to proceed.

- Click **Tools > Import Preferences**.

3. Navigate to the ART Files folder under the AnySite installation folder (C:\Program Files\MapInfo\AnySite_UK\Art Files for example).
4. Select the most recent .ART file.
5. Highlight all items, and click **OK**.

The Configurator is updated with the new reports and thematics that correspond with the data.

6. Repeat from **step 3** for all the new/updated ART files.

Note A detailed electronic copy of exporting and importing preferences directions is provided on the AnySite UK Installation disk under Upgrade\Documentation.

Updating your Custom Reports and Thematics

It will only be necessary for you to manually update the "Verbose" descriptions on reports, thematics, Hotspots, and Capture Methods that you have customized. The underlying demographic content (numbers) are automatically updated by the AnySite UK installer, the "Verbose" descriptions (2004 Total Population) will have to be manually altered from 2004-2005 via the Configurator.

All reports, thematics, Hotspots, and capture methods will continue to run successfully using the newest content from the installer. However, without importing the updated "Standard" reports and modifying the "verbose" descriptions on your custom reports, the printed maps and reports will continue to display the previous data vintage.

To change the vintage on custom reports:


1. Launch the AnySite UK Configurator. Either click the AnySite UK Configurator icon on your desktop or click **Programs > MapInfo > AnySite UK > AnySite Configurator** from the Microsoft Start menu.

Enter the default user name and password when prompted: type *Administrator* for the username and leave the password blank. Usernames are case sensitive, so make sure Administrator has a capital "A".

Click **OK** to proceed.


2. On the **Preferences** menu, click **Reports**.
3. Select your custom report, and click **Edit**.

4. Select a variable and modify the verbose descriptions. Click **OK** when you have finished.



Some of your existing thematics and reports may continue to run, but the verbose vintage descriptions, such as 2004, will be incorrect, or you may see NOT LICENSED on your reports. These variables will need to be manually replaced with the newly updated data. To do this:

1. In the Configurator from the **Tools** menu, click **Update Preferences**.
2. In the Update Preferences dialog, type the vintage description in to the **Search For** box.



3. Select the found items to update and move them to the Replace With list by clicking the right arrow button.
4. In the **Replace With** box, type the new vintage description and then click **OK**.

Upgrading the AnySite UK Client

To upgrade the AnySite Client software, run the ClientSetup.exe file located in the AnySite installation folder (C:\Program Files\MapInfo\AnySite_UK for example).

Network clients need to be uninstalled from the client machine and reinstalled to guarantee a correct update to the system. Follow the directions under **Installing to a Network (Shared by Multiple Users) in Chapter 3 on page 22**.

AnySite UK integrates data from several third party data vendors. There may be times when changes to the data will affect AnySite UK functionality. In some cases, the best option will be to install a new version of the application, with the new data. We are continuously working with our vendors to establish consistent releases of the various data products to minimize these occurrences.

Uninstalling


To uninstall your AnySite UK software, follow the instructions provided here.

In this chapter:


- ◆ Uninstalling the AnySite UK Application54
- ◆ Uninstalling the AnySite UK Client.....54

Uninstalling the AnySite UK Application

To uninstall the AnySite UK application, click **Start > Settings > Control Panel > Add or Remove Programs** and select AnySite UK. Click **Remove** for this application. A prompt displays asking if you would like to remove AnySite UK from your computer. Click **Yes** to proceed with the uninstall.




You are then prompted if you would like to remove all user files from the application directory. Selecting Yes removes the entire application directory and all contents of that directory. This includes any files you may have created in the AnySite UK directory, such as saved sites, custom location or boundary layers. By selecting No, only the Sites, and Art Files directories are left untouched.



Once the installer completes, AnySite UK is removed from your system.

Uninstalling the AnySite UK Client

To Uninstall the AnySite UK Client, click **Start > Settings > Control Panel > Add or Remove Programs** and select AnySite UK Client. Click **Remove** for this application. You are prompted if you would like to remove the AnySite UK Client from your computer. Click **Yes** to proceed with the uninstall.



Once the installer completes, the AnySite UK Client will be removed from your system.

Performance Tuning a Network Installation

If you selected a Shared setup type, so that multiple users can access AnySite UK, then consider tuning your installation to improve AnySite UK performance.

In this chapter:

- ◆ **Network Speed**56
- ◆ **Virus Scanner Software Settings**56

Network Speed

Using a 100 Megabit network connection is optimal. Using a slower network connection affects the refresh rate when panning or refreshing the map view.

Virus Scanner Software Settings

AnySite UK performance slows when virus software scans AnySite UK data. The performance decrease is noticeable with a network installation when multiple people access AnySite UK.

AnySite UK opens many data layers for display in the map view. A data layer consists of five files that AnySite UK launches to display the layer. There may be 16 to 19 layers on display in the map view. AnySite UK queries all of the layer files when you pan or refresh a map.

To improve performance, set the virus software to exclude the AnySite UK data directory from the virus scan (the C:\Program Files\MapInfo\AnySite_UK\Data directory for example), or to exclude the following file type extensions from the virus scan:

- .tab – A MapInfo table file that describes the format of the data.
- .dat – A file containing tabular data.
- .map – A file that describes the graphic objects.
- .id – A cross reference file that links the data with the graphic objects.
- .ind – An index file for searching for map objects.